

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	89	terao.in. and masayuki.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/14 08:16
S2	3	(portable adj telephone adj set).ti. and tamiyuki.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/05 11:22
S3	506	dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:03
S4	145159	(wireless or communicat\$).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:04
S5	518958	(wireless or communicat\$).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:05
S6	38	((wireless or communicat\$).ti.) and ((wireless or communicat\$). ab.) and dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:06
S7	99	((wireless or communicat\$).ab.) and (key adj modul\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:08
S8	141	((wireless or communicat\$).ab.) and dongle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:29
S9	214	dongle and (cryptograph\$3 or authenticat\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:30
S10	4	dongle and (cryptograph\$3 or authenticat\$) and (key adj module)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:31
S11	144	(dongle and (cryptograph\$3 or authenticat\$)) and RAND\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/07 15:36
S12	30383	wireless.ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/10 10:51

S13	12	wireless.ab. and (authenticat\$2 same lock\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/10 13:01
S14	78	USB same (authenticat\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 09:11
S15	65	wireless.ab. and (relay adj device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/10 16:50
S16	1533	USB and (authenticat\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 10:51
S17	113	wireless.ab. and (USB and (authenticat\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 09:12
S18	4	(cross adj authenticat\$) with (challeng\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 09:37
S19	1616	(authenticat\$) with (challeng\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 09:37
S20	18	(wireless.ab. and (USB and (authenticat\$2))) and ((authenticat\$) with (challeng\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 09:37
S21	3	server same (public adj key adj table\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 11:00
S22	17	public adj key adj table\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 13:02
S23	13	GSM adj smart adj card	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 13:04
S24	6	(GSM adj smart adj card) and (ID or (identif\$ adj number))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 13:25

S25	130	(register with ID) same authenticat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/11 16:32
S26	0	dynamic adj update adj routing adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/13 13:40
S27	0	dynamic\$3 adj update adj routing adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/13 13:40
S28	6	dynamic\$ adj updat\$ adj routing adj table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/13 13:40
S29	2	"5729537".pn. or "5884047".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/05/18 10:47
S89	212	wireless same color\$1 same rate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 11:25
S90	62	wireless with color\$1 with rate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 11:33
S91	31	wireless with insert\$3 with register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 12:49
S92	37	insert\$3 with (("same" or identical) adj ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 12:41
S93	30	S92 and @ad<="20011227"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 12:42
S94	1	wireless same UIM same (identical)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 12:59

S95	24	dongle with license	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 14:22
S96	218	tamiyuki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 14:22
S97	25	S96 and mizoguchi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:23
S98	473	cellular same (address\$2) same (key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:24
S99	89	cellular with (address\$2) with (key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:24
S10 0	4	((different adj color\$1) same terminator) and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:45
S10 1	156	((different adj color\$1) same recogniz\$4) and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:46
S10 2	56	((different adj color\$1) with recogniz\$4) and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:53
S10 3	5	((different adj color\$1) with recogniz\$4) same connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:53
S10 4	1	(diferenc\$2 adj color\$1) with (user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:15

S10 5	0	(diferen\$2 adj color\$1) with (user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:15
S10 6	4414	(different adj color\$1) with (user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:16
S10 7	4414	(different adj color\$1) with (user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)S106 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:16
S10 8	546	S106 and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:16
S10 9	1230	(different adj color\$1) near3(user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:18
S11 0	6	(different adj color\$1) near3 recogniz\$3 near2(user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:17
S11 1	44	(different adj color\$1) with (user\$1 or rate\$1 or parameter\$1 or owner\$1 or subscriber\$1) with (termina\$3 or connector\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:37
S11 2	44812	kunihiko.in. or koike.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:37
S11 3	151	kunihiko.in. and koike.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:37
S11 4	118	S113 and @ad<="19990101"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:38

S11 5	1	"20010011308".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/09 10:49
S11 6	1	(portable with wireless) with (symmetric\$2 or common) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 09:38
S11 7	13	(portable with wireless) same (symmetric\$2 or common or shared) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 09:40
S11 8	502	(portable with wireless) and (symmetric\$2 or common or shared) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 09:41
S11 9	458	(wireless) same (symmetric\$2 or common or shared) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 09:41
S12 0	83	S119 and @ad<="19991201"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 10:17
S12 1	1	"5274841".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 10:18
S12 2	1	"5935244".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 13:08
S12 3	1	"6064736".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 13:13
S12 4	27	(authorization adj code\$1) with (random adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 13:55

S12 5	4	(encrypted adj password\$1) with (random adj number\$1) and (mutual adj authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 13:56
S12 6	27106	(rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 10:16
S12 7	0	(tranmission adj rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 10:17
S12 8	0	(tranmission) with (rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/22 10:17
S12 9	116	(communication) with (rate\$1) with with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:25
S13 0	0	(communication with (DS1 near3 DS3)) with (rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:22
S13 1	6	((DS1 with DS3)) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:24
S13 2	1	(T\$1carrier) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:25
S13 3	62	(wireless) with (rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:33
S13 4	2429	(data) with (rate\$1) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:33

S13 5	372	((data) adj (rate\$1)) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:38
S13 6	103	((data) adj (rate\$1)) near3 (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:34
S13 7	63	wireless and S135	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:34
S13 8	950	rate\$1 with (different adj color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:39
S13 9	12	(data adj rate\$1) with (different adj color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/23 11:39